

I letti predisposti per l'abbinamento alla pedana, hanno i piedi sul lato della testiera collocati su un sostegno metallico in posizione più interna, per permettere il suo inserimento fino a 300 mm sotto il letto. Anche le altezze dei giroletti (90 e 150 mm) consentono un'agevole composizione dei vari elementi.

I letti predisposti per l'abbinamento alla pedana, hanno i piedi sul lato della testiera collocati su un sostegno metallico in posizione più interna, per permettere il suo inserimento fino a 300 mm sotto il letto. Anche le altezze dei giroletti (90 e 150 mm) consentono un'agevole composizione dei vari elementi.

Febo 3.0



PIEDI METACRILATO

1000



92

335

Predisposto per materasso / mm

L/W 1600 x P/D 1900
L/W 1600 x P/D 2000
L/W 1800 x P/D 2000

Ingombro / mm

L/W 1695 x P/D 2160
L/W 1695 x P/D 2260
L/W 1895 x P/D 2260

PIEDI X METALLO

1000



92

335

Predisposto per materasso / mm

L/W 1600 x P/D 1900
L/W 1600 x P/D 2000
L/W 1800 x P/D 2000

Ingombro / mm

L/W 1695 x P/D 2160
L/W 1695 x P/D 2260
L/W 1895 x P/D 2260

Dorian Plano



PIEDI IN METACRILATO

965



150
330

Predisposto per materasso / mm

L/W 1500 x P/D 1900
L/W 1500 x P/D 2000

L/W 1600 x P/D 1900
L/W 1600 x P/D 2000

L/W 1800 x P/D 2000
L/W 1800 x P/D 2100

Queen size L/W 1530 x P/D 2030
King size L/W 1930 x P/D 2030

Ingombro / mm

L/W 1637 x P/D 2170
L/W 1637 x P/D 2270

L/W 1707 x P/D 2170
L/W 1707 x P/D 2270

L/W 1907 x P/D 2270
L/W 1907 x P/D 2370

L/W 1637 x P/D 2300
L/W 2037 x P/D 2300

PIEDE -X- IN METALLO

965



150
330

Predisposto per materasso / mm

L/W 1500 x P/D 1900
L/W 1500 x P/D 2000

L/W 1600 x P/D 1900
L/W 1600 x P/D 2000

L/W 1800 x P/D 2000
L/W 1800 x P/D 2100

Queen size L/W 1530 x P/D 2030
King size L/W 1930 x P/D 2030

Ingombro / mm

L/W 1637 x P/D 2179
L/W 1637 x P/D 2279

L/W 1707 x P/D 2179
L/W 1707 x P/D 2279

L/W 1907 x P/D 2279
L/W 1907 x P/D 2370

L/W 1637 x P/D 2309
L/W 2037 x P/D 2309

Gaston Plano



PIEDI IN METACRILATO

1045



150
330

Predisposto per materasso / mm

L/W 1500 x P/D 1900
L/W 1500 x P/D 2000

L/W 1600 x P/D 1900
L/W 1600 x P/D 2000

L/W 1800 x P/D 2000
L/W 1800 x P/D 2100

Queen size L/W 1530 x P/D 2030
King size L/W 1930 x P/D 2030

Ingombro / mm

L/W 1980 x P/D 2100
L/W 1980 x P/D 2200

L/W 2050 x P/D 2100
L/W 2050 x P/D 2200

L/W 2250 x P/D 2200
L/W 2250 x P/D 2300

L/W 1980 x P/D 2230
L/W 2380 x P/D 2230

PIEDE -X- IN METALLO

1045



150
330

Predisposto per materasso / mm

L/W 1500 x P/D 1900
L/W 1500 x P/D 2000

L/W 1600 x P/D 1900
L/W 1600 x P/D 2000

L/W 1800 x P/D 2000
L/W 1800 x P/D 2100

Queen size L/W 1530 x P/D 2030
King size L/W 1930 x P/D 2030

Ingombro / mm

L/W 1980 x P/D 2100
L/W 1980 x P/D 2200

L/W 2050 x P/D 2100
L/W 2050 x P/D 2200


L/W 2250 x P/D 2200
L/W 2250 x P/D 2300

L/W 1980 x P/D 2230
L/W 2380 x P/D 2230


System Eclitto

Diletto benches



BENCH WITH SUPERIMPOSED BED






BENCH WITH MODULAR ECLITTO BOISERIE AND SUPERIMPOSED BED



BOISERIE HEIGHT POSITIONS



BED WIDTH POSITIONS To respect the width modularity of boiserie, beds can be placed on bench, according to their width, as the diagram below.



System **Ecletto**

Diletto benches

UPHOLSTERED BEDS PLACED ON DILETTO BENCHES



Dorian Plano



Gaston Plano





Febo 3.0

Feet on headboard side are replaced by a cylindrical support positioned at 11 7/8" inside the side edge of the bed.
Feet on footboard side: -M- methacrylate or -X- metal feet.

Diletto benches are fitted with an adjustable foot H: 5/8"

ECLETTO EQUIPPED BED WITH DILETTO BENCH



In this case the bench is supplied with foot H 1 1/4" to respect the height modularity of the boiserie.